

**CHARACTERISATION OF VARIANT
ALLELES AT THE HUMD21S11
LOCUS**

Ms. Sarah Louise Robinson

Master of Science (Research)


2011

CERTIFICATE OF AUTHORSHIP/ORIGINALITY

I certify that the work in this thesis has not previously been submitted for a degree nor has it been submitted as part of requirements for a degree except as fully acknowledged within the text.

I also certify that the thesis has been written by me. Any help that I have received in my research work and the preparation of the thesis itself has been acknowledged. In addition, I certify that all information sources and literature used are indicated in the thesis.

Signature of Student

A handwritten signature in dark ink, appearing to read "Sarah C. B.", is written over a horizontal line.

ACKNOWLEDGEMENTS

There are a number of people who I would like to thank and recognize for their tireless support and advice throughout the studying process. I need to thank Mr. Simon Walsh for his assistance in the development of this project.

I would like to thank the Northern Territory Police, Fire and Emergency Services for generously providing me with samples to study. The Division of Analytical Laboratories and the NSW Police Force were also supportive of this research allowing me time and resources to complete this study. In particular I would like to thank Ms. Carmen Eckhoff for her help and advice and Dr. Narindar Bansal who provided an invaluable amount of information and ideas and enabled me to obtain the physical data recorded here.

Dr. John Mitchell of La Trobe University also provided support and assistance throughout this study. His assistance was provided in his own time, and at a time when his own organization was going through a considerable amount of change.

To my family and friends, thank you for all your support and encouragement, especially during those times when I felt that the research was a lost cause.

Finally, this research would not have been completed without Dr. Tamara Sztynka. Tamara stepped up to be my supervisor and mentored and advised me through this time in addition to her already considerable workload. I will never be able to express how much her support and friendship meant to me through this time.

Table of Contents

	Page
Certificate of Authorship/originality	i
Acknowledgements	ii
Table of contents	iii
List of Illustrations and Figures	v
Abbreviations	vi
Abstract	vii
1 Microsatellites in Forensic Science	1
1.1 Introduction	1
1.2 Aims of this Research	1
1.3 Forensic Examination of Microsatellites	2
1.3.1 Forensic Discipline Modifications of Molecular Biology Terms	3
1.3.2 Microsatellite Structure	4
1.3.3 Microsatellites in DNA Profiling	4
1.4 Mutation	6
1.4.1 Mutation Mechanisms	6
1.5 Migration	8
1.5.1 Application of DNA in Tracing Human Populations	9
1.5.2 Migration and Population Processes	10
1.5.3 Genetic Evidence Supporting the Out of Africa Model	12
1.5.4 Migration Into and Out of Africa	13
1.5.5 Journeying South into Sahul	14
1.5.6 Colonization of the Middle East, Europe and the Americas	16
1.5.7 Colonization of Remote Oceania	17
1.6 The HUMD21S11 Locus	18
2 Methodology	23
2.1 Selection of Samples	23
2.2 Examination of HumD21S11 Alleles	24
2.2.1 Extraction of DNA	24
2.2.2 Quantitation of DNA	24
2.2.3 Amplification of the HumD21S11 Locus	25
2.2.4 Ethidium Bromide Staining of Gels	26
3 Results	29
3.1 HUMD21S11 Sequenced Alleles	29
3.2 Alleles with Type II Sequence	32
3.3 Alleles with the Fourteen Base Pair Deletion in the Constant Region	33
3.4 Range of Repeat Numbers in Variable Regions	34
4 Discussion	37
4.1 Regional Differentiation in the Australian Aboriginal Population	37
4.1.1 Creation of Regional Differentiation	37
4.1.2 Population Examination Based on Regional Boundaries	39
4.1.3 Effectiveness of Examining Populations Based on Regional Boundaries	41
4.2 Global Relationships	43
4.2.1 Colonization of Australia and Sahul	43
4.2.2 Relationship between Australian Aborigines and New Guinea	45
4.2.3 Relationship between Australian Aborigines and Africa	46

4.2.4	Relationship between Australian Aborigines and Caucasians	47
4.3	Mutation Events at the HUMD21S11 Locus	49
4.3.1	Single-step or Multi-step Mutation	49
4.3.2	Mutation Mechanisms	50
5	Conclusion	53
Appendices		
A	Glossary	55
B	Reagents and Consumables	62
Bibliography		64

List of Illustrations and Tables

List of Illustrations

Figure 1	Unequal Crossing Over	Page 7
Figure 2	Slipped Strand Mismatching	7
Figure 3	Founder and Bottleneck Events	11

List of Tables

Table 1	Sequence Data Obtained in this Study	30
---------	--------------------------------------	----

ABBREVIATIONS

Acronym	Definition
DNA	Deoxyribonucleic Acid
dNTP	Dinucleotidetriphosphate
KYA	Thousand Years Ago
MgCl ₂	Magnesium Chloride
ng	Nano gram
PCR	Polymerase Chain Reaction
RPM	Revolutions Per Minute
SSM	Slipped Strand Mismatching
SUPAMAC	Sydney University Prince Alfred
UCO	Unequal Crossing Over
μL	Micro Litre

Abstract

Significant genetic substructure within a population can affect the evidential weight of a DNA profile to the detriment of a defendant. To prevent this from occurring, forensic examiners continually look to understand more about the degree and structure of genetic variation within a population. A part of this involves the characterisation of the microsatellite loci applied in forensic testing.

The HUMD21S11 microsatellite is commonly used in forensic examinations in conjunction with a suite of other microsatellite loci in order to identify individuals who may have been present at a crime scene, or who cannot be identified through more traditional non-genetic means (such as visual, dental or medical records).

This research confirmed the existence of an ancestral relationship between the indigenous populations of Australia and Papua New Guinea as well as the presence of regional differentiation within the Australian Aboriginal population. The sequence variation present at the HUMD21S11 microsatellite locus makes it a suitable candidate to further understand and describe the regional differentiation within the Australian Aboriginal population.

This study also confirmed that microsatellites are able to retain their variability after structural change (Möller et al. 1994, Brinkmann et al. 1996, Griffiths et al. 1998, Walsh et al. 2003), and that a single mutation event can involve single repeat units or multiple repeat units.

The structural complexity of microsatellites like HUMD21S11 could be used to further develop mutation models as well as investigate the proposal that the mutation rate of microsatellite loci is dependent on the DNA sequence present.

The sequence variation at the HUMD21S11 microsatellite is prevalent enough in the Australian Aboriginal population, to warrant a more complete investigation of the genetic variation at this locus. However, in order to better understand the genetic diversity present in the Australian Aboriginal populations, examination of the

population based on traditional tribal boundaries (rather than judicial boundaries) is recommended.

Additional population studies at the sequence level will increase our level of understanding about the genetic relationships of the Australian Aboriginal population on a local and global level. The sequence data obtained will also assist in the understanding of the mutation process and aid in the development of statistical models.